



Augustine Chinaenye Agu
Is Certified in Standard
First Aid & CPR/AED level C
CSA Std. Z1210-17 – Intermediate

Certificate number: 104664520
 Expiry Date: 2026-12-28
 Issue Date: 2023-12-29
 Issued in: AB

To validate a certificate, go to myrc.redcross.ca and click on Validate Certificate. Complete both fields and click on Validate. The search result will either verify the certificate or indicate an issue.



Augustine Chinaenye Agu
est certifié en Secourisme général
et RCR/DEA niveau C
Norme CSAZ1210-17/Intermédiaire

Numéro de certificat: 104664520
 Date d'expiration: 2026-12-28
 Date d'émission: 2023-12-29
 Province d'émission: AB

Pour vérifier la validité d'un certificat, rendez-vous sur le site myrc.redcross.ca/fr et cliquez sur « Valider un certificat ». Remplissez les deux champs demandés et cliquez sur le bouton « Valider ». Les résultats vous indiqueront si le certificat est valide ou s'il y a un problème.

Safety Now
<http://www.safetynow.ca>



1.877.356.3226 myrc.redcross.ca

Safety Now
<http://www.safetynow.ca>



1 877 356-3226 myrc.redcross.ca/fr

Augustine Chinaenye Agu
 122 Cornett Drive Red Deer
 Red deer Alberta T4P2X3