



Thomas Kruger
Is Certified in Standard
First Aid & CPR/AED level C
CSA Std. Z1210-17 – Intermediate

Certificate number: 104862783
Expiry Date: 2027-03-13
Issue Date: 2024-03-13
Issued in: AB

To validate a certificate, go to myrc.redcross.ca and click on Validate Certificate. Complete both fields and click on Validate. The search result will either verify the certificate or indicate an issue.



Thomas Kruger
est certifié en Secourisme général
et RCR/DEA niveau C
Norme CSAZ1210-17/Intermédiaire

Numéro de certificat: 104862783
Date d'expiration: 2027-03-13
Date d'émission: 2024-03-13
Province d'émission: AB

Pour vérifier la validité d'un certificat, rendez-vous sur le site myrc.redcross.ca/fr et cliquez sur « Valider un certificat ». Remplissez les deux champs demandés et cliquez sur le bouton « Valider ». Les résultats vous indiqueront si le certificat est valide ou s'il y a un problème.

AT Safety Training
<http://www.atsafetytraining.ca>



1.877.356.3226 myrc.redcross.ca

AT Safety Training
<http://www.atsafetytraining.ca>



1 877 356-3226 myrc.redcross.ca/fr

Thomas Kruger
Foxboro Place
Sherwood Park Alberta T8A 5Y6